



Study	TP	FP	FN	TN	Sensitivity (95% CI)	Specificity (95% CI)	Sensitivity (95% CI)	Specificity (95% CI)
Capelle 2010	2	27	0	96	1.00 [0.16, 1.00]	0.78 [0.70, 0.85]		
den Hollander 2019	2	53	2	133	0.50 [0.07, 0.93]	0.72 [0.64, 0.78]		
Nieminen 2020	9	206	19	906	0.32 [0.16, 0.52]	0.81 [0.79, 0.84]		
Piazuelo 2020	7	19	5	253	0.58 [0.28, 0.85]	0.93 [0.89, 0.96]		



Sensitivity (95% CI)	
Capelle 2010	1.00 (0.16 - 1.00)
den Hollander 2019	0.50 (0.07 - 0.93)
Nieminen 2020	0.32 (0.16 - 0.52)
Piazuelo 2020	0.58 (0.28 - 0.85)
Pooled Sensitivity = 0.43 (0.29 to 0.59)	
Chi-square = 5.97; df = 3 (p = 0.1129)	
Inconsistency (I-square) = 49.8 %	



Specificity (95% CI)	
Capelle 2010	0.78 (0.70 - 0.85)
den Hollander 2019	0.72 (0.64 - 0.78)
Nieminen 2020	0.81 (0.79 - 0.84)
Piazuelo 2020	0.93 (0.89 - 0.96)
Pooled Specificity = 0.82 (0.80 to 0.84)	
Chi-square = 41.51; df = 3 (p = 0.0000)	
Inconsistency (I-square) = 92.8 %	

**Supplementary Fig. 9.** Meta-analysis for the diagnostic accuracy of high OLGIM stage for gastric neoplasm. OLGIM, Operative Link on Gastric Intestinal Metaplasia Assessment; TP, true positive; FP, false positive; FN, false negative; TN, true negative; CI, confidence interval.